

# Series 4, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIN86VSE0









# Included accessories

3 x egg tray 1 x ice cube tray

- VitaFresh XXL: keeps food fresh for longer in extra-large climate controlled drawers at near <0°C>.
- **LED interior light:** Illuminates the refrigerator evenly and glarefree, and lasts for its entire life.
- **NoFrost:** never defrost again, thanks to perfect protection from ice formation that saves time and effort.

#### **Technical Data**

Energy Efficiency Class (Regulation (EU) 2017/1369): E Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: 234 kWh/annum

Sum of volume of frozen compartments (EU 2017/1369): 76 l Sum of volume of chill compartments (EU 2017/1369): 184 l Airborne acoustical noise emissions (EU 2017/1369): 35 dB(A) re 1 pW

Airborne acoustical noise emission class (EU 2017/1369): B

Built-in / Free-standing: Built-in Number of compressors: 1

Number of independent cooling systems: 1

Width of the appliance: 541 mm Depth of the product: 548 mm

Net weight: 52.6 kg

Required niche size for installation (HxWxD): 1775.0 x 560 x 550

mm

Door panel options: Not possible Door hinge: Right reversible

Number of Adjustable Shelves in fridge compartment: 3

Shelves for Bottles: No Frost free system: Freezer Interior ventilator: No Reversible Door Hinge: Yes

Length electrical supply cord: 230 cm

Noise level: 35 dB(A) re 1 pW Multi-Flow Air Tower: No Fast cooling switch: No Fast freezing switch: Yes

Temperature Controlled Drawer: No Humidity Control Drawer: No

Number of Door Bins - Refrigerator: 2 Door bin adjustability - Refrigerator: Yes

Tilt-out door bins in fridge: Yes Gallon wide door bins: Yes Number of Gallon storage: 1

Motorized Shelf: No

Material ofthe shelves: Safety glass Door opened indicator freezer: Yes Drawers with telscopic rails: none Automatic motor-driven ice-maker: No

Fuse protection: 10 A Voltage: 220-240 V Frequency: 50 Hz

Storage Period in Event of Power Failure (h): 10 h

Approval certificates: CE, VDE
Main colour of product: N/A
Door panel options: Not possible
Noise level: 35 dB(A) re 1 pW
Energy Star Qualified: No
Approval certificates: CE, VDE
Plug type: Gardy plug w/ earthing

Required cutout/niche size for installation (in): x x Dimensions of the packed product: 72.45 x 24.01 x 25.19

Net weight: 116.000 lbs Gross weight: 126.000 lbs





# Series 4, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIN86VSE0

- easy Installation

## Performance and consumption

- EU19\_EEK\_D: E

- Total Volume: 260 l

- Net Fridge Volume : 184 l

- Net Freezer Volume: 76 l

- Freezing capacity 24h: 4 kg

- Annual Energy Consumption: 234 kWh/a

- Climate Class: SN-ST

- yes

- Noise Level: 35 dB

- Temperature rise time : 10 H

#### **Design and Styling**

- LED interior light in fridge section

#### Convenience & Safety

- LED electronic control
- Super Cooling: No
- Super Freezing: manual activation
- acoustic for Fridge and Freeze, Optical warning system Door open

#### **Fridge Compartment**

- 4 safety glass shelves, of which 3 are height adjustable
- 3 door bins, there of 1x dairy compartment
- 1 door trays
- 3 door bins

### Freshness System

#### **Freezer Section**

- NoFrost never again defrosting!
- 3 transparent freezer drawers

#### **Dimensions**

- Dimensions ( H x W x D): 177.2 cm x 54.1 cm x 54.8 cm
- Niche Dimension (H x W x D): 177.5 cm x 56.0 cm x 55.0 cm

### **Technical Information**

- Door right hinged, reversible
- Nominal voltage: 220 240 V

# Accessories

- egg tray ice cube tray

#### **Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

#### **Environment and Safety**


#### Installation


#### **General Information**

- Net 4\* compartment volume : 76 l



# Series 4, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIN86VSE0





The specified unit door dimensions are valid for a door gap of 4 mm.

measurements in mm

