

Series 6, Built-in washing machine, 8 kg, 1400 rpm WIW28301GB







Our washing machine with EcoSilence Drive: enjoy supremely quiet operation and excellent durability.

- EcoSilence Drive[™]: extremely energy-efficient and quiet in operation with a 10-year warranty.
- AllergyPlus: specially developed for the needs of allergy sufferers and sensitive skin.
- SpeedPerfect: perfectly clean in up to 65% less time.
- VarioDrum: gently and efficiently wash with even water distribution and without creasing garments.
- ActiveWater Plus technology: for highly efficient use of water even with small loads thanks to automatic load detection.

Technical Data

Built-in / Free-standing: Built-in Door hinge: Left Color / Material body: White Length electrical supply cord: 210 cm : 820.00 mm Height of the product: 818 mm Dimensions of the product: 818 x 596 x 544 mm Wheels: No Net weight: 75.8 kg Drum volume: 55 l Main colour of product: White Door Frame: White Noise level washing: 41 dB(A) re 1 pW Connection Rating: 2300 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50 Hz Energy Star Qualified: No Cord Included: Yes Plug type: GB plug Length of drain hose (in): 86.61 Length of supply hose (in): 86.61 Appliance Dimensions (h x w x d) (inches): x x Dimensions of the packed product: 34.44 x 25.98 x 24.99 Net weight: 167.000 lbs Gross weight: 170.000 lbs Length of drain hose: 220.00 cm Length of supply hose: 220.00 cm Dimensions of the packed product (HxWxD): 875 x 635 x 660 mm Gross weight: 77.2 kg Connection Rating: 2300 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50 Hz Approval certificates: CE, E17D UKCA marking, VDE Water protection system: Aquastop Spin speed options: Variable Digital countdown indicator: Yes Progress indicator: LED, LED-display Energy Efficiency Class (Regulation (EU) 2017/1369): C Weighted energy consumption in kWh per 100 washing cycles of eco 40-60 programme (EU 2017/1369): 62 kWh Maximum capacity in kg (EU 2017/1369): 8.0 kg The water consumption of the eco programme in liters per cycle (EU 2017/1369): 45 | Duration of eco 40-60 programme in hours and mins at rated capacity (EU 2017/1369): 3:16 h Spin-drying efficiency class of eco 40-60 programme (EU 2017/1369): B Airborne acoustical noise emission class (EU 2017/1369): A Airborne acoustical noise emissions (EU 2017/1369): 66 dB(A) re 1 pW



Series 6, Built-in washing machine, 8 kg, 1400 rpm WIW28301GB

Our washing machine with EcoSilence Drive: enjoy supremely quiet operation and excellent durability.

engine power and consumption

- Fully integratable

Programmes

- Special programmes: allergy plus, shirts/blouses, MIX Silent/ MIX Night wash, Spin / Drain, Family Mix, single rinse, delicate/silk, wool / hand wash

options

- TouchControl buttons: end time delay, start/pause with reload function, SpeedPerfect, Spin speed selection/Rinse hold

comfort and safety

- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- Large display for programme progress indication, spin speed, remaining time, 24 h end time delay and load recommendation
- EcoSilence Drive: quiet motor with long lifetime
- 10 years guaranty on EcoSilence Drive
- AquaStop: Bosch' warranty in case of water damage for the lifetime of the appliance.*
- Foam detection system to remove excessive foam
- Unbalanced load detection
- noise insulation: bottom cover
- Easy cleaning detergent drawer
- Divider for Liquid Detergent
- buzzer at end of program
- 30 cm porthole, white with 130 ° opening angle
- Door hinging interchangeable
- Metal door closing hook

Technical Information


- adjustable base hight: 15 cm
- adjustable base depth: 6.5 cm
- Dimensions (H x W x D): 81.8 cm x 59.6 cm x 54.4 cm
- changeable backfeed

* Please find warranty terms under [please insert here the local URL (internet address, e.g. https://www.bosch-home.com/ but with the direct page with the warranty terms)]

** Values are rounded.




Series 6, Built-in washing machine, 8 kg, 1400 rpm WIW28301GB



measurements in mm

Z detail



Hinge cup hole min. 12 deep

measurements in mm

