

**Series 2, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
Inox-look
KGN36NLEA**



Included accessories

3 x egg tray
1 x ice cube tray



**The NoFrost bottomfreezer with MultiBox:
Has enough room for all your food**

- **Perfect Fit:** place your fridge right next to walls and other appliances to save space.
- **LED interior light:** Illuminates the refrigerator evenly and glare-free, and lasts for its entire life.

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369): E
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: 239 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369): 89 l
Sum of volume of chill compartments (EU 2017/1369): 216 l
Airborne acoustical noise emissions (EU 2017/1369): 42 dB(A) re 1 pW
Airborne acoustical noise emission class (EU 2017/1369): D
Built-in / Free-standing: Free-standing
Number of compressors: 1
Number of independent cooling systems: 1
Width of the appliance: 600 mm
Depth of the product: 660 mm
Net weight: 61.6 kg
Door panel options: Not possible
Door hinge: Right reversible
Number of Adjustable Shelves in fridge compartment: 3
Shelves for Bottles: No
Interior ventilator: No
Reversible Door Hinge: Yes
Length electrical supply cord: 240 cm
Noise level: 42 dB(A) re 1 pW
Multi-Flow Air Tower: Yes
Fast cooling switch: No
Fast freezing switch: Yes
Temperature Controlled Drawer: No
Humidity Control Drawer: No
Number of Door Bins - Refrigerator: 4
Door bin adjustability - Refrigerator: No
Tilt-out door bins in fridge: No
Gallon wide door bins: Yes
Number of Gallon storage: 1
Motorized Shelf: No
Material of the shelves: Safety glass
Door opened indicator freezer: No
Automatic motor-driven ice-maker: No
Connection Rating: 100 W
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 50 Hz
Storage Period in Event of Power Failure (h): 12 h
Approval certificates: CE, VDE
Main colour of product: Inox-look
Door panel options: Not possible
Noise level: 42 dB(A) re 1 pW
Energy Star Qualified: No
Approval certificates: CE, VDE
Plug type: GARDY plug w/ earthing
Required cutout/niche size for installation (in): x x
Dimensions of the packed product: 75.70 x 25.74 x 30.31
Net weight: 136.000 lbs
Gross weight: 148.000 lbs



4 242005 191239

Series 2, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGN36NLEA

The NoFrost bottomfreezer with MultiBox: Has enough room for all your food

Environment and Safety

Installation

General Information

- Vario Zone - removable glass shelves for extra space
- Super Cooling: No
- Freezing possible in all freezer compartments

Performance and consumption

Design and Styling

- Doors Stainless steel look, side panels Pearl grey (VZF 07127)
- Integrated horizontal handle
- LED with Soft Start in fridge section

Convenience & Safety

- NoFrost - never again defrosting!
- LED electronic control
- Super Freezing: manual activation

Fridge Compartment

- Multi Airflow-System
- 4 safety glass shelves of which 3 are height adjustable
- 4 door bins

Freshness System

- MultiBox: transparent drawer with wave bottom, ideal for the storage of fruits and vegetables

Freezer Section

- 3 freezer drawers, incl. 1 EasyAccess Freezer Box

Dimensions

- Dimensions (H x W x D): 186.0 cm x 60.0 cm x 66.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet
- Connected load: 100 W
- Nominal voltage: 220 - 240 V

Accessories


- 1 egg tray
- Ice cube tray

Country Specific Options


- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Series 2, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGN36NLEA

Appliance name	a	b	c	d	e	f	g
KGN36 (Inner handle)	1860	600	660	590	600	1210	660
KGN36 (Outer handle)	1860	600	660	590	840	1210	700



measurements in mm



Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

Dimension A:
In models with vertical integrated handles, in order to open easily, a minimum distance of 65 mm is needed.

measurements in mm