

iQ500, built-under fridge, 82 x 60 cm KU15RAFF0



undercounter fridge with handy covered fruit and Fresh Box in the very efficient EEC A++.

- ✓ Lights up the fridge to give you a good view – LED lighting.
- ✓ Extra strong and easy-cleaning safety glass - safetyGlass shelves.
- ✓ An A++ cooling appliance works very efficiently.
- ✓ The fruit and vegetables stay crispy in the 2 Fresh Boxes with wavy bottom.

Features

Technical Data

Built-in / Free-standing : Built-in
 Door panel options : Possible but accessory
 Height (mm) : 820
 Width of the product (mm) : 598
 Depth of the product : 548
 Required niche size for installation (HxWxD) : 820 x 600 x 550
 Net weight (kg) : 34.145
 Connection Rating (W) : 90
 Current (A) : 10
 Door hinge : Right reversible
 Voltage (V) : 220-240
 Frequency (Hz) : 50
 Approval certificates : CE, VDE
 Length electrical supply cord (cm) : 230
 Number of compressors : 1
 Number of independent cooling systems : 1
 Interior ventilator : No
 Reversible Door Hinge : Yes
 Number of Adjustable Shelves in fridge compartment : 2
 Shelves for Bottles : No
 EAN code : 4242003848593
 Brand : Siemens
 Product name / Commercial code : KU15RAFF0
 Product category : Refrigerator
 Energy efficiency class (2010/30/EC) : A++
 Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 92.00
 Refrigerator Net capacity (l) - NEW (2010/30/EC) : 137
 Freezer Net capacity (l) - NEW (2010/30/EC) : 0
 Frost free system : No
 Freezing capacity (kg/24h) - NEW (2010/30/EC) : 0
 Noise level (dB) : 38
 Climate class : SN-ST
 Installation typology : Built-under

Included accessories

1 x egg tray

Optional accessories

KU20ZSX0 Attachment door, stainless steel
 KF10ZAX0 Door panel with decor frame



4 242003 848593

iQ500, built-under fridge, 82 x 60 cm KU15RAFF0

Features

Performance and consumption

- Energy Efficiency Class: A++ at a range of energy efficiency classes from A+++ to D
- Energy consumption: 92 kWh/yr
- Net capacity: 137 l
- Net fridge capacity 4 - 8 ° C: 137 l
- Climate Class: SN-ST
- Noise level: 38 dB(A) re 1 pW
- , fully integrated

Design and Styling

- Ventilation in plinth, no cut-out in the worksurface necessary
- Easy clean interior

Convenience & Safety

- Electromechanical temperature control
- Automatic defrost in fridge section

Fridge Compartment

- 3 safety glass shelves, of which 2 are height adjustable
- 1 door trays high
- Bottle holder in x-deep door tray
- LED interior light

Freshness System

- 2 Fresh boxes
- Big pull out tray

Technical Information

- Height adjustable feet in the front
- Door right hinged, reversible
- Connected load: 90 W
- Nominal voltage: 220 - 240 V

Dimensions

- Niche Dimension (H x W x D): 82.0 cm x 60.0 cm x 55.0 cm
- Appliance Dimensions (H x W x D): 82.0 cm x 59.8 cm x 54.8 cm

Accessories


- egg tray

General Information

Environment and Safety

iQ500, built-under fridge, 82 x 60 cm
 KU15RAFF0

Dimensioned drawings




* variable base/substructure height

Space for electrical connection next to the appliance on the left or right-hand side.
 Ventilation space in the base.

measurements in mm

measurements in mm

Recommended gap dimensions for flat hinges



	F	R	X
16-19	0-3	2.5	3
20	2-3	2.5	3
21	2-3	2.5	4
22	1	3.5	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.