


**Series 8, Built-in warming drawer, 60 x 14 cm, Black
BIC630NB1B**



The multifunctional warming drawer for the 14 cm niche: for pre-heating plates, keeping food warm and low temperature cooking.

- **Push-pull mechanism:** easy opening and closing thanks to a practical spring mechanism.
- **Cleaning convenience:** easy to clean hotplate made of tempered glass.

Technical Data

Built-in / Free-standing : Built-in

Color / Material Front : Black

Maximum number of plates : 12

Maximum number of espresso cups : 64

Dimensions : 140 x 594 x 548 mm

Dimensions of the packed product (HxWxD) : 210 x 650 x 670 mm

Required niche size for installation (HxWxD) : 140 x 560 x 550 mm

: 0.810 kW

Time control : No

Electrical connection rating : 810 W

Fuse protection : 10 A

Voltage : 220-240 V

Frequency : 60; 50 Hz

Plug type : GB plug

Color / Material Front : Black

Approval certificates : , CE, E17D UKCA marking, VDE

Required cutout/niche size for installation (in) : x x

Appliance Dimensions (h x w x d) (in) : x x

Dimensions of the packed product : 8.26 x 25.59 x 26.37

Net weight : 36.000 lbs

Gross weight : 38.000 lbs

Length electrical supply cord : 150 cm

Required niche size for installation (HxWxD) : 140 x 560 x 550 mm

Dimensions : 140 x 594 x 548 mm

Dimensions of the packed product (HxWxD) : 210 x 650 x 670 mm

Net weight : 16.2 kg

Gross weight : 17.4 kg



**Series 8, Built-in warming drawer, 60 x 14
cm, Black
BIC630NB1B**

**The multifunctional warming drawer for the
14 cm niche: for pre-heating plates, keeping
food warm and low temperature cooking.**

Design:

Comfort:

- Rotary Control
- User-friendly electronics: extremely easy and comfortable operation
- Heating plate made of toughened glass
- Cavity volume: 20 l
- Loading up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- 5 functions: dough proving thawing of delicate foods keeping drinks and food warm pre-warming of crockery gentle cooking
- Temperature control in 4 levels: ca. 40 °C - 80 °C (glass surface temperature)
- Opening without handle (push&pull)

Technical Information

- Length of mains cable: 150 cm
- Total connected load electric: 0.81 KW
- Nominal voltage: 220 - 240 V

Dimensions:

- Appliance dimension (hwxwd): 140 mm x 594 mm x 548 mm
- Niche dimension (hwxwd): 140 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

Series 8, Built-in warming drawer, 60 x 14
cm, Black
BIC630NB1B

