


MEET HOUSEHOLD WATER DEMANDS

Integrated Waterflow

Multi-touch Panel Easy Operation

Purifying Status, Service Life of Filter Cartridges, TDS Display

HiDROTEK
WATER PURIFIER



1:1 Waste Water Ratio

Ultra-low waste water ratio, water saving, energy saving

1:1



Integrated Manifold

No Tubes, No Fittings, No leakage risk

—
HIDROTEK
WATER PURIFIER



Less Connectors



Smaller Size



Bayonet Filter Cartridges Easy to Replace

HIDROTEK
WATER PURIFIER



Bayonet Type
Replacing in Seconds



Disposable Cartridges

Multi-Stage Reverse Osmosis System

removes 99% of contaminants such as Chlorine, Fluoride, Lead, Bacteria, Organics, VOCs and so on.

1

PP

Remove



large-particle
suspended
matters



sediment



rust



impurity

2

CTO

Remove



organic
matters



peculiar
smell



residual
chlorine



peculiar
color

3

RO

Remove



bacteria



virus



heavy
metal

4

T33

Remove



bacteria



improving
the taste

HIDROTEK RO Membrane



effectively remove bacteria, heavy metals,
dissolved and salinity

 **HIDROTEK**
WATER PURIFIER

0.0001 μm
Filter Precision



106mm Ultra-thin Dimension Space Saving

 **HIDROTEK**
WATER PURIFIER



Item No.	SNOW PAD
Capacity	1.2 L/MIN
1st stage	PP Spun Filter, Advanced Bayonet Cartridge
2nd stage	Block Carbon Filter, Advanced Bayonet Cartridge
3rd stage	Hidrotek RO membrane with NSF certification
4th stage	Post Carbon Filter, Advanced Bayonet Cartridge
Cartridge lifespan	2000 L
Tank	Tankless Design
Pump and adapter	220V, 50~60Hz booster pump, working pressure 100 psi, max pressure 125 psi 1.5A~1.7A, 24V adapter
Machine dimension	400*106*455mm

