



BEST 400



0	
Description	1-bowl sink with drainer
Model	BEST 400
Base (mm)	450
0	Inset
Dimensions (mm)	860 x 510
Hole for built-in installation (mm)	840 x 480
Number of Bowls	1
Bowl Depth (mm)	200

Technical Drawing



0	
Gross Weight (kg)	17,05
Net Weight (kg)	11,20
Packaging Dimension (kg)	940 x 575 x 300
0 (kg)	0,162
0	
Packaging	Cardboard and polyethylene
0	Space-saving siphon, integrated Flow Pro, rectangular overflow and hooks.



LKB40086 K86
8031873020057



LKB40093 K93
8031873026479



LKB40095 K95
8031873026486



LKB40096 K96
8031873020064



LKB40097 K97
8031873026493



LKB40099 K99
8031873026509



METAL



LMB40073 M73
8032861953708



LMB40079 M79
8032861953715



MATT



LGB40040 G40
8032861047896



LGB40043 G43
8032861040897



LGB40048 G48
8032557030553



LGB40068 G68
8032861040873



LGB40078 G78
8032557066910

CLASSIC









LGB40051 G51
8032861040750



LGB40059 G59
8032861047889



LGB40062 G62
8032861040743



BEST 400

general tolerances where not expressly communicated $\pm 0,2\%$
connection dimensions according to UNI EN 695

