



ZEN 102



Technical Drawing



0	
Description	1-bowl sink
Model	ZEN 102
Base (mm)	450 (Inset), 500 (Undermount)
0	Inset Undermount
Dimensions (mm)	456 x 456
Hole for built-in installation (mm)	445 x 445 R5 (Inset), 400 x 400 R10 (Undermount)
Number of Bowls	1
Bowl Depth (mm)	200
0	
Gross Weight (kg)	11,51
Net Weight (kg)	6,42
Packaging Dimension (kg)	575 x 575 x 300
0 (kg)	0,099
0	
Packaging	Cardboard and polyethylene
0	Space-saving siphon, integrated Flow Pro, rectangular overflow, hooks and undermount assembly kit.



KERATEK[®] plus
CERAMIC NANOTECHNOLOGY CN6



LKZ10286 K86
8031873027780



LKZ10293 K93
8031873027797



LKZ10295 K95
8031873027803








LKZ10296 K96
8031873027810



LKZ10297 K97
8031873027827









LKZ10299 K99
8031873027834



ZEN 102

general tolerances where not expressly communicated $\pm 0.2\%$
connection dimensions according to UNI EN 695





ZEN 102 UNDERMOUNT

general tolerances where not expressly communicated $\pm 0.2\%$
connection dimensions according to UNI EN 695



