



ZEN 105



0	
Description	1-bowl sink
Model	ZEN 105
Base (mm)	600
0	Inset Undermount
Dimensions (mm)	556 x 456
Hole for built-in installation (mm)	545 x 445 R5 (Inset), 500 x 400 R10 (Undermount)
Number of Bowls	1
Bowl Depth (mm)	200
0	
Gross Weight (kg)	11,60
Net Weight (kg)	8,90
Packaging Dimension (kg)	690 x 575 x 300
0 (kg)	0,119
0	
Packaging	Cardboard and polyethylene
0	Space-saving siphon, integrated Flow Pro, rectangular overflow, hooks and undermount assembly kit.

Technical Drawing



KERATEK[®] plus
CERAMIC NANOTECHNOLOGY CN6



LKZ10586 K86
8031873026400



LKZ10593 K93
8031873027841



LKZ10595 K95
8031873027858









LKZ10596 K96
8031873027865



LKZ10597 K97
8031873027872









LKZ10599 K99
8031873027889



ZEN 105

general tolerances where not expressly communicated $\pm 0.2\%$
connection dimensions according to UNI EN 695





ZEN 105 UNDERMOUNT

general tolerances where not expressly communicated $\pm 0,2\%$
connection dimensions according to UNI EN 695



