



ZEN 130



Technical Drawing



0	
Description	1-bowl sink
Model	ZEN 130
Base (mm)	800
0	Inset Undermount
Dimensions (mm)	756 x 456
Hole for built-in installation (mm)	745 x 445 R5 (Inset), 700 x 400 R10 (Undermount)
Number of Bowls	1
Bowl Depth (mm)	200
0	
Gross Weight (kg)	15,59
Net Weight (kg)	11,87
Packaging Dimension (kg)	870 x 575 x 300
0 (kg)	0,150
0	
Packaging	Cardboard and polyethylene
0	Space-saving siphon, integrated Flow Pro, rectangular overflow, hooks and undermount assembly kit.



KERATEK[®] plus
CERAMIC NANOTECHNOLOGY CN6



LKZ13086 K86
8031873027896



LKZ13093 K93
8031873027902



LKZ13095 K95
8031873027919









LKZ13096 K96
8031873027926



LKZ13097 K97
8031873027933









LKZ13099 K99
8031873026417



ZEN 130

general tolerances where not expressly communicated $\pm 0.2\%$
connection dimensions according to UNI EN 695



ZEN 130 UNDERMOUNT

general tolerances where not expressly communicated $\pm 0,2\%$
connection dimensions according to UNI EN 695

