


iQ700, Gas hob, 90 cm, Ceramic,  
Black  
ER9A6SB70



Optional accessories	
HZ298105	Simmer plate
HZ298114	Small pot support

Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology – Precise flame control with nine different settings.
- ✓ Dishwasher-proof pan supports – Cut the time you spend cleaning the hob.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.
- ✓ Biomethane ready – Power your gas hob with renewable biomethane gas.
- ✓ Siemens burner design is extremely flat in comparison to a standard burner.

Features

**Technical Data**  
Product name/family: ..... gas hob w  
integrated controls  
Design: ..... Built-in  
Source of energy: ..... Gas  
Number of cooking zones: ..... 5  
Type of control setting devices: .....sword knobs  
Min. required niche size for installation (HxWxD): ....45 x 850-852 x  
490-502 mm  
Width of the appliance: ..... 912 mm  
Dimensions: ..... 59 x 912 x 520 mm  
Dimensions of the packed product (HxWxD): . 170 x 1110 x 660 mm  
Weight: ..... 18.2 kg  
Gross weight: ..... 20.6 kg  
Residual heat indicator: .....without  
Location of control panel: ..... Front  
Basic surface material: ..... Ceramic  
Color of surface: ..... Black, Alu, brushed  
Color of frame: ..... Black  
Length of electrical supply cord: ..... 150.0 cm  
EAN code: .....4242003925706  
Gas connection rating: ..... 13800 W  
Fuse protection: .....3 A  
Nominal power: ..... 220-240 V  
Frequency: ..... 50; 60 Hz



## iQ700, Gas hob, 90 cm, Ceramic, Black ER9A6SB70

### Features

#### Design

- ceramic glass surface, black
- Facette front, rear and side profiles, aluminium, brushed
- Cast iron pan supports
- Low profile burner: elegant burner design

#### Usage convenience

- Step Flame technology - 9 steps: precisely control and adjust the flame in nine defined levels.
- Pan supports dishwasher safe: clean without effort in the dishwasher.
- Design co-ordinated control dials: easily access dials in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the dials to ignite the flame.

#### Burners and power

- 5 burner gas hob including:
- Including 1 dual control wok burner: use an extra wide power range, separately controlling two flame rings.
- Left: Wok burner up to 6.1 KW (depending on gas type)
- Center front: Standard burner up to 1.9 KW (depending on gas type)
- Center rear: Economy burner up to 1.1 KW (depending on gas type)
- Right rear: High-speed burner up to 2.8 KW (depending on gas type)
- Right front: Standard burner up to 1.9 KW (depending on gas type)

#### Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

#### Installation (gas types & measurements)

- Usable for: Nat gas L/LL G25/20mbar(DE)
- NG H/E 20mbar, E+ 20/25mbar Natural gas H 25 mbar (HU) Natural gas L 25 mbar (NL) Liquid gas G30,31 28-30/37mbar Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar
- Factory set for connection to mains gas
- Nozzle set for LPG jets (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 59 x 912 x 520
- Required niche size for installation (HxWxD mm) : 45 x 850 x (490 - 502)
- Min. worktop thickness: 30 mm
- Power cord: 1.5 m
- Connected load: 13.8 KW

#### Accessories

- Wok ring included

**iQ700, Gas hob, 90 cm, Ceramic,  
Black  
ER9A6SB70**

## Dimensioned drawings

