

**Series 8, Built-in oven, 60 x 60 cm,
Black
HBG7341B1**



Included accessories

1 x enamel baking tray
1 x combination grid
1 x universal pan

- **Hot Air Gentle:** saves energy while baking and roasting.
- **Cooking tips:** Access practical cooking advice via the Home Connect app.

Technical Data

Gross weight : 37.2 kg
Color / Material Front : Black
Built-in / Free-standing : Built-in
Integrated Cleaning system : catalytic partial, Hydrolytic
Min. required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm
Dimensions : 595 x 594 x 548 mm
Dimensions of the packed product (HxWxD) : 670 x 680 x 670 mm
Control Panel Material : Glass
Door Material : Glass
Net weight : 34.8 kg
Usable volume of cavity : 71 l
Cooking method : Air fry, Bottom heat, Conventional heat, Conventional heat gentle, Defrost, Full width grill, Half width grill, Hot Air, Hot air gentle, Hot air grilling, Pizza setting, pre-heating, Soft steaming, warming
Number of interior lights : 1
Length electrical supply cord : 120.0 cm
Interior Lights - cavity 1 : 1
Pull-out system : Accessory
Clock function : Alarm, Off, On
Included accessories : 1 x enamel baking tray, 1 x combination grid, 1 x universal pan
Broil Element Wattages cavity 1 : 2800 W
Convection Element Wattages cavity 1 : 2200 W
Energy consumption per cycle conventional (2010/30/EC) : 0.87 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC) : 0.69 kWh/cycle
Energy efficiency index (2010/30/EC) : 81.2 %
Connection Rating : 3600 W
Fuse protection : 16 A
Voltage : 220-240 V
Plug type : GARDY plug w/ earthing
Color / Material Front : Black
Alternative colors available : HBG7341W1
Energy input : Electric
Required cutout/niche size for installation (in) : x
Dimensions of the packed product : 26.37 x 26.37 x 26.77
Net weight : 77.000 lbs
Gross weight : 82.000 lbs
Length electrical supply cord : 120.0 cm
Net weight : 34.8 kg
Included accessories : 1 x enamel baking tray, 1 x combination grid, 1 x universal pan



Series 8, Built-in oven, 60 x 60 cm, Black HBG7341B1

Heating Functions

- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

Hook-in racks / rails

- Easy fit shelf support rails with electronic link

Design

- Cavity inner surface: enamel anthracite

Colour display: Full Color

- Ecolyse features: back panel
- hydrolyse program

Comfort

- LED display control (red)
- electronic clock with LED display
- Oven door with Drop down door, soft closing, soft opening
- Supporting systems: Dish categories
- Rapid heating-up
- Rapid heating-up: automatic
- Integral cooling fan
- HomeConnect ready on WLAN

Accessories

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

Connecting cable: 120 cm

- Child lock
Automatic safety switch off residual heat indicator Start-/Stop
button door contact switch

Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
Energy consumption per cycle in conventional mode: 0.87 kWh
Energy consumption per cycle in fan-forced convection mode: 0.69 kWh
Number of cavities: 1 Heat source: electrical Cavity volume: 71 l
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
Energy consumption per cycle in conventional mode: 0.87 kWh
Energy consumption per cycle in fan-forced convection mode: 0.69 kWh
Number of cavities: 1 Heat source: electrical Cavity volume: 71 l

Dimensions:

- Appliance dimension (h x w x d): 595 mm x 594 mm x 548 mm
- Required niche size for installation (H x W x D): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

Series 8, Built-in oven, 60 x 60 cm, Black HBG7341B1

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

