

Series 4, built-under fridge with freezer section, 82 x 60 cm, flat hinge KUL22VFD0



KFZ10AX0	Door panel with decor frame
KSZGGM00	Butter box
KUZ20SX0	Attachment door, stainless steel


- **Super Cooling function:** cools new food placed inside faster, thus protecting already cooled food.
- **SuperCooling quickly chills food and beverages with a touch of a button**
- **Connectivity:** remotely monitor and control your fridge from your smartphone or tablet.
- **Home Connect brings smart technology to your Bosch Refrigerator**
- **LED lighting:** keep your groceries in perfect view.

Gross weight: 74.000 lbs
 Energy Efficiency Class (Regulation (EU) 2017/1369): D
 Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: 119 kWh/annum
 Sum of volume of frozen compartments (EU 2017/1369): 17 l
 Sum of volume of chill- and unfrozen compartments (EU 2017/1369): 93 l
 Airborne acoustical noise emissions (EU 2017/1369): .35 dB(A) re 1 pW
 Airborne acoustical noise emission class (EU 2017/1369): B
 Built-in / Free-standing: Built-in
 Number of compressors: 1
 Number of independent cooling systems: 1
 Width of the appliance: 598 mm
 Height: 820 mm
 Depth of the product: 548 mm
 Net weight: 30.8 kg
 Min. required niche size for installation (HxWxD):820 x 600 x 550 mm
 Door panel options: Not possible
 Door hinge: Right reversible
 Number of Adjustable Shelves in fridge compartment: 2
 Shelves for Bottles: No
 Frost free system: No
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Length electrical supply cord: 230.0 cm
 Multi-Flow Air Tower: No
 Economy setting: Yes
 Fast cooling switch: Yes
 Temperature Controlled Drawer: No
 Humidity Control Drawer: No
 Number of Door Bins - Refrigerator: 2
 Door bin adjustability - Refrigerator: No
 Tilt-out door bins in fridge: No
 Gallon wide door bins: Yes
 Number of Gallon storage: 1
 Motorized Shelf: No
 Material of the shelves: Glas
 Door opened indicator freezer: No
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Storage Period in Event of Power Failure (h): 9 h
 Door panel options: Not possible
 Installation typology: Built-under
 Energy Star Qualified: No
 Plug type: GARDY plug w/ earthing
 Required cutout/niche size for installation (in): x
 Dimensions of the packed product: 35.03 x 25.19 x 25.19
 Net weight: 68.000 lbs

Series 4, built-under fridge with freezer section, 82 x 60 cm, flat hinge KUL22VFD0

measurements in mm


Recommended gap dimensions for flat hinges




F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.

Measurements in mm



Measurements in mm




A: Substructure height

B: ≥ 560 mm (recommended)


Space for electrical connection next to the appliance on the left or right side

Measurements in mm



A: Air inlet ≥ 200 cm²

Maximal permissible weight of the unit fronts



Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges

A: Weight ≤ 12 kg