


**Series 4, Gas hob, 60 cm, Stainless steel  
PGP6B5K80**



**Optional accessories**

- HEZ298105 : Simmer plate
- HEZ298114 : Small pot support
- HEZ32WA00 : Wireless food thermometer
- HEZ9SE040 : 4 pieces Set
- HEZ9SE060 : 6 pieces Set

**The gas hob with steel pan supports.**

- **Continuous steel pan supports:** lightweight with maximum stability
- **Safety gas cut-off:** ensures safety by instantly cutting off gas supply if the flame goes out.
- **Sword knobs:** firmer grip and easy control of your gas hob.
- **Biomethane-ready:** power your gas hob with renewable, sustainable gas.

**Technical Data**

- Product name/family : gas hob w integrated controls
- Built-in / Free-standing : Built-in
- Energy input : Gas
- Total number of positions that can be used at the same time : 4
- Type of control setting devices : sword knobs
- Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492 mm
- Width of the appliance : 582 mm
- Dimensions : 51.1x582x520 mm
- Dimensions of the packed product (HxWxD) : 141 x 651 x 578 mm
- Net weight : 6.7 kg
- Gross weight : 7.7 kg
- Residual heat indicator : Without
- Location of control panel : Front
- Basic surface material : Stainless steel
- Color of surface : Stainless steel
- Length electrical supply cord : 100.0 cm
- Knob Material : Plastic
- Sealed Burners : No
- Power of heating element (kW) : 1.75 kW
- Power of 3rd heating element (kW) : 1.75 kW
- Power of 5th heating element (kW) : 3 kW
- Connection Rating : 1 W
- Gas connection rating : 7500 W
- Fuse protection : 3 A
- Voltage : 220-240 V
- Frequency : 50; 60 Hz
- Energy input : Gas
- Gas type : Nat gas H/E/(L) 20 (25) mbar
- Alternative gas type : Liquid gas G30,31 28-30/37mbar
- Plug type : No plug (electrical connection by electrician)
- Appliance Dimensions (h x w x d) (in) : x x
- Dimensions of the packed product : 5.55 x 22.75 x 25.62
- Net weight : 15.000 lbs
- Gross weight : 17.000 lbs



## Series 4, Gas hob, 60 cm, Stainless steel PGP6B5K80

### The gas hob with steel pan supports.

---

#### Design

- Stainless steel surface
- Continuous steel pan supports

#### Usage convenience

- Sword knobs, front: easily access knobs in front with strong grip for effortless turning.
- Automatic ignition: just push and turn the knob to ignite the flame.

#### Burners and power

- 4 Gas burners
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

#### Safety

- Safety gas cut-off: prevents unwanted gas flow when flame goes out.

#### Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 51.1 x 582 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 492)
- Min. worktop thickness: 30 mm
- Power cord: 1 m
- Connected load: 7.5 KW

**Series 4, Gas hob, 60 cm, Stainless steel  
PGP6B5K80**

