

**Series 6, Built-in oven, 90 x 48 cm,  
Stainless steel  
VBC5580S0**



**The built-in oven with hotair, 90 cm width:  
achieves delicious baking and roasting  
results for big roasts or dishes of large  
quantities.**

- **Hotair:** perfect results on two levels thanks to optimal distribution of heat.
- **LCD-display control, white:** easy-to-use thanks to direct access to additional functions, temperature recommendation and temperature indication.
- **Pop-out controls:** for an easy to clean front.
- **Catalytic coating:** almost no cleaning thanks to a special coating of the rear- and side wall that automatically absorbs grime.
- **1-stage telescopic rails, level independent:** can be placed in any baking level.

Gross weight: ..... 61.3 kg  
Built-in / Free-standing: ..... Built-in  
Integrated Cleaning system: ..... Hydrolytic  
Min. required niche size for installation (HxWxD): 477-480 x 860-864 x 560 mm  
Dimensions: ..... 475x896x577 mm  
Dimensions of the packed product (HxWxD): ..... 588 x 968 x 680 mm  
Control Panel Material: ..... brushed stainless steel  
Door Material: ..... Glass  
Net weight: ..... 53.0 kg  
Usable volume of cavity: ..... 85 l  
First cavity material: ..... Other  
Number of interior lights: ..... 2  
Length electrical supply cord: ..... 115.0 cm  
Interior Lights - cavity 1: ..... 2  
Pull-out system: . Level-independent clip rails - for safe insertion and removal of accessories on any level  
Included accessories: 1 x enamel baking tray, 1 x combination grid, 1 x universal pan  
Broil Element Wattages cavity 1: ..... 2900 W  
Convection Element Wattages cavity 1: ..... 2860 W  
Energy efficiency class: ..... A+  
Energy consumption per cycle conventional (2010/30/EC): ..... 0.74 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC): ..... 1.11 kWh/cycle  
Energy efficiency index (2010/30/EC): ..... 81.3 %  
Connection rating: ..... 3100 W  
Fuse protection: ..... 16 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50; 60 Hz  
Plug type: ..... No plug (electrical connection by electrician)  
Energy input: ..... Electric  
Required cutout/niche size for installation (in): ..... x  
Dimensions of the packed product: ..... 23.14 x 38.11 x 26.77  
Net weight: ..... 117.000 lbs  
Gross weight: ..... 135.000 lbs  
Length electrical supply cord: ..... 115.0 cm  
Net weight: ..... 53.0 kg



**Series 6, Built-in oven, 90 x 48 cm,  
Stainless steel  
VBC5580S0**

**The built-in oven with hotair, 90 cm width:  
achieves delicious baking and roasting  
results for big roasts or dishes of large  
quantities.**

---

- Cavity volume: 85 l

**Hook-in racks / rails**

- 1-fold telescopic rail, level independent

**Design:**

- Rotary Control, Pop-out controls, Touch control  
- Extra large capacity oven with grey enamel

**Cleaning:**

- catalytic side liners, Catalytic back liner  
- Innerdoor main: Full glass inner door

**Comfort:**

- LCD-display control (white)  
- Electronic clock  
- Drop down door  
- Rapid heating-up  
- Elongated halogen light  
- Integral cooling fan  
- Bar handle

**Accessory:**

- enamel baking tray, combination grid, universal pan  
- low door temperature  
- Child lock  
- Automatic switch off Residual heat indicator Door contact switch  
- Length of mains cable: 115 cm  
- Nominal voltage: 220 - 240 V  
- Total connected load electric: 3.1 KW  
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)  
- Energy consumption per cycle in conventional mode: 0.74 kWh  
Energy consumption per cycle in fan-forced convection mode: 1.11 kWh  
Number of cavities: 1 Heat source: electrical Cavity volume: 85 l

**Dimensions:**

- Appliance dimension (h x w x d): 475 mm x 896 mm x 577 mm  
- Niche dimension (h x w x d): 477 mm - 480 mm x 860 mm - 864 mm x 560 mm  
- "Please reference the built-in dimensions provided in the installation drawing"

