

# Series 8, Built-in oven, 60 x 60 cm, White HBG7321W1







 $1\ x$  combination grid,  $1\ x$  universal pan

HEZ327000 Pizza stone, HEZ32WA00 Wireless food thermometer, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ538000 1fold telescopic rail, level independent, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ633073 Professional pan, enamelled, HEZ634000 Baking and roasting grid, HEZ636000 Glass pan, HEZ638000 Full ext rails, level independent, HEZ660060 Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

- **Digital Control Ring**: the simple and innovative way to select oven settings.
- Air Fry Function: for perfectly fried foods, such as vegetables and chips.
- Cleaning Assistance: less cleaning effort

Gross weight:
Built-in / Free-standing:
Integrated Cleaning system: EcoClean Direct program, Hydrolytic
Required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
Dimensions:
Control Panel Material:
Door Material: Glass
Net weight: 33.0 kg
Usable volume of cavity:
Heating modes:: Defrost, Air fry, Full width grill, Hotair gentle, Hot
Air, Half width grill, Conventional heat, Conventional heat gentle,
Pizza setting, Bottom heat, Hot air grilling
Number of interior lights:
Length electrical supply cord:
Interior Lights - cavity 1:
Pull-out system:
Included accessories:1 x combination grid, 1 x universal pan
Broil Element Wattages cavity 1:2800 W
Convection Element Wattages cavity 1:2200 W
Energy efficiency class:A+
Energy consumption per cycle conventional (2010/30/EC):0.87
kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EQ):69
kWh/cycle
Energy efficiency index (2010/30/EC):
Connection rating:
Fuse protection:16 A
Voltage:
Frequency:
Plug type: Gardy plug w/ earthing
Energy input:
Required cutout/niche size for installation (in):x
Dimensions of the packed product:
Net weight:
Gross weight:
Length electrical supply cord:
Net weight:





# Series 8, Built-in oven, 60 x 60 cm, White HBG7321W1

#### Type of oven / heating system:

- Temperature range 30 °C 300 °C
- Cavity volume: 71 l

#### Hook-in racks / rails

- Number of shelf levels: 5 PC
- Accessory

#### Design:

- Touch control
- Cavity inner surface: enamel anthracite

#### Cleaning:

- EcoClean Direct: coating of back panel
- Hydro Clean
- Full glass inner door

#### Comfort:

- Electronic clock
- Temperature proposal
- Actual temperature display Heating-up control
- Oven door with SoftOpen and SoftClose, Drop down door
- Supporting systems: Dish Assist
- Rapid heating-up
- Halogen interior lighting, Switch for oven illumination
- Integral cooling fan
- HomeConnect ready on Wi-Fi

#### Accessory:

- combination grid, universal pan

## **Environment and Safety:**

- low door temperature
- Child lock
- Automatic switch off Residual heat indicator Start-/Stop button Door contact switch

### Technical Information


- Length of mains cable: 120 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.87 kWh
- Energy consumption per cycle in fan-forced convection mode:0.69 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 l


## Dimensions:

- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"




# Series 8, Built-in oven, 60 x 60 cm, White HBG7321W1





measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



