

**BOSCH**

**Series 4, fully-integrated dishwasher,
60 cm, Variable hinge for special
installation situations
SMH4EVX08E**



A G B

**Better drying performance even for
kitchens with low plinth heights and high
built in.**

- **Efficient Dry:** top-rated drying performance by automatic door opening.
- **Hygiene level validated for Eco 50°C and higher levels with Intensive 70°C and Machine Care programmes**
- **VarioFlex-baskets and VarioDrawer:** enhanced re-adjusting options with more space on all levels.
- **Silence Plus:** the remarkably quiet 44 dB dishwasher.
- **Home Connect:** home appliances with smart connectivity for an easier everyday life



| | |
|-----------|--|
| SGZ0BI02 | decorative strips stainless steel 81,5cm |
| SGZ0IC00 | Small Item Clip for upper rack |
| SGZ1010 | inlet and outlet hose extention |
| SGZ8BI00 | Connection rail for divided furniture |
| SMZ1051EU | Mains cable with EU-Plug 5m |
| SMZ2014 | Rack insert for stemware dishwasher |
| SMZ5000 | Dishwashing aid set |
| SMZ5100 | Vario-cutlery basket |
| SMZ5300 | GlassSecure Tray |

| | |
|---|--|
| Energy Efficiency Class (Regulation (EU) 2017/1369): | B |
| Energy Consumption for 100 cycles Eco Programme: | 65 kWh |
| Maximum number of place settings: | 14 |
| The water consumption of the eco programme in liters per cycle: 9.0 l | |
| Programme duration: | 3:55 h |
| Airborne acoustical noise emissions : | 44 dB(A) re 1pW |
| Airborne acoustical noise emission class: | B |
| Cleaning performance: | A |
| Water consumption: | 9.0 l |
| Total annual water consumption 220 days: | 1980 l |
| Built-in / Free-standing: | Built-in |
| Removable top: | No |
| Door panel options: | Not possible |
| Height of removable worktop: | 0 mm |
| Height of the appliance: | 815 mm |
| Adjustable feet: | Yes - all from front |
| Maximum adjustability feet: | 60 mm |
| Adjustable plinth: | Both horizontal and vertical |
| Net weight: | 35.2 kg |
| Gross weight: | 37.4 kg |
| Connection rating: | 2400 W |
| Fuse protection: | 10 A |
| Voltage: | 220-240 V |
| Frequency: | 50; 60 Hz |
| Length electrical supply cord: | 175.0 cm |
| Plug type: | Gardy plug w/ earthing |
| Length inlet hose: | 165 cm |
| Length outlet hose: | 190 cm |
| Hidden heating element: | Yes |
| Water protection system description: | Triple water protection 24h |
| Child safety devices: | No |
| Water softener: | Yes |
| Top basket type: | High flexibility with Vario Flex basket |
| Adjustable upper basket: | Rackmatic 3-stage |
| Bottom basket type: | mid |
| 3rd Rack: | 3rd Rack 1.0 |
| Optional accessories: | SGZ0BI02, SGZ0IC00, SGZ1010, SGZ8BI00, SMZ1051EU, SMZ2014, SMZ5000, SMZ5100, SMZ5300 |
| Included accessories 2: | Vapor barrier plate |
| Number of place settings: | 14 |
| Dimensions of the product (HxWxD): | 815 x 598 x 550 mm |
| Dimensions of the packed product (HxWxD): | 880 x 660 x 670 mm |



4 242005 479412

Series 4, fully-integrated dishwasher, 60 cm, Variable hinge for special installation situations

SMH4EVX08E

**Better drying performance even for
kitchens with low plinth heights and high
built in.**

BOSCH - Header 1

- Energy Efficiency Class¹: B
- Energy² / Water³: 65 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration⁴: 3:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (Silence 50°C programme): 43 dB(A) re 1 pW

BOSCH - Header 2

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite (Pre-Rinse)
- Favourite function
- 4 special options: Remote Start, Efficient Dry, Half Load, SpeedPerfect+
- Machine Care Programme
- Add-On functions via Home Connect app: Hygiene Plus, Silence on Demand (Quiet now)

BOSCH - Header 3

- EfficientDry and Heat exchanger
- AquaSensor
- DosageAssist
- EcoSilence Drive
- Detergent Automation
- Self-cleaning filter system with 3-fold corrugated filter
- Interior tub material: Stainless Steel/Polinox

BOSCH - Header 4

- VarioFlex basket system
- VarioDrawer
- Rackmatic height-adjustable top basket (3 stage)
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 cup shelves in top basket

BOSCH - Header 5

- Home Connect enabled via WLAN
- Controls on top edge of door
- Panel legend: Plain text (english)
- Info Light (red)
- Remaining programme time indicator (min)
- Acoustic end of cycle indicator
- Electronic delay timer: 1-24 hours

BOSCH - Header 6

- AquaStop: Bosch warranty in case of water damage – for the

lifetime of the appliance.*

- incl. VarioHinge
- Glass protection technology

BOSCH - Header 7

- incl. Steam protection for worktop

BOSCH - Header 8

- Product dimensions (HxWxD): 81.5 x 59.8 x 55 cm

¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)


³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

* Please find warranty terms under [please insert here the local URL (internet address, e.g. <https://www.bosch-home.com/> but with the direct page with the warranty terms)]


**Series 4, fully-integrated dishwasher,
60 cm, Variable hinge for special
installation situations
SMH4EVX08E**

measurements in mm



socket

() values with extension kit



measurements in mm